

Bijlage A Medicamenteuze behandeling van HFrEF

RTA Hartfalen

Medicamenteuze behandeling van HFrEF

Management of HFrEF




Figure 3 Central illustration. Strategic phenotypic overview of the management of heart failure with reduced ejection fraction. ACE-I=angiotensin-converting enzyme inhibitor; ARB=angiotensin receptor blocker; ARNI=angiotensin receptor-neprilysin inhibitor; BB=beta-blocker; b.p.m.=beats per minute; BTC=bridge to candidacy; BTT=bridge to transplantation; CABG=coronary artery bypass graft; CRT-D= cardiac resynchronization therapy with defibrillator; CRT-P=cardiac resynchronization therapy pacemaker; DT=destination therapy; HF=heart failure; HFrEF=heart failure with reduced ejection fraction; ICD=implantable cardioverter-defibrillator; ISDN=isosorbide dinitrate; LBBB=left bundle branch block; MCS=mechanical circulatory support; MRA=mineralocorticoid receptor antagonist; MV=mitral valve; PVI=pulmonary vein isolation; QOL=quality of life; SAVR=surgical aortic valve replacement; SGLT2i=sodiumglucose co-transporter 2 inhibitor; SR=sinus rhythm; TAVI=transcatheter aortic valve replacement; TEE=transcatheter edge to edge. Colour code for classes of recommendation: Green for Class of recommendation I; Yellow for Class of recommendation IIa (see Table 1 for further details on classes of recommendation). The Figure shows management options with Class I and IIa recommendations. See the specific Tables for those with Class IIb recommendations. *ESC guidelines.2021*